

MAXair PREMIUM

FEATURES

- RUGGED COMPRESSOR WITH CAST IRON CYLINDERS.
- "V" STYLE DESIGN MINIMIZES VIBRATION, IMPROVES COOLING, AND EXTENDS COMPRESSOR LIFE.
- 2 YEAR LIMITED WARRANTY
- INDIVIDUAL AND REMOVABLE CYLINDERS FOR SMOOTHER COOLER OPERATION AND EASY MAINTENANCE.
- HEAVY DUTY PRESSURE SWITCH WITH ON/OFF CONTROL.
- THERMALLY PROTECTED 208/230 VOLT SINGLE PHASE ELECTRIC MOTOR.
- 60 GALLON ASME REGISTERED TANK WITH 170PSI RATING.
- PREMIUM AIR FILTERS WITH "AUTO DROP" REPLACEMENT FEATURE.
- LIQUID FILLED PRESSURE GAUGE.
- CONVENIENT EXTENDED OIL DRAIN, AND CONVENIENTLY LOCATED BALL VALVE DRAIN ON FRONT OF TANK FOR DRAINING MOISTURE FROM TANK.
- EASY VIEW OIL SIGHT GAUGE.
- HIGH EFFICIENCY REED VALVES FOR MAXIMUM PERFORMANCE.
- EFFICIENT HEAT REMOVAL FROM FLY WHEEL FOR COOLER RUNNING AND LONGER LIFE.
- STURDY METAL BELT GUARD.
- HEAVY DUTY 1/2" BALL VALVE INCLUDED.
- CSA APPROVED.

C4160V1-MAP



170 PSI MAX RATED



Manufactured by:



COMPARE THE AIR. . .

MODEL	HP	CFM@ 100 PSI	MAXIMUM RATED PSI	RECEIVER CAPACITY	MOTOR VOLTAGE	DIMENSIONS L-W-H (ins)	WEIGHT (lbs)
C4160V1-MAP	5.0	12.5	170	60 GAL	208/230	27-20-65	260

Wood Industries, Inc. PO Box 720 Belmont, MS 38827 Phone: (662) 454-0005 Fax: (662) 454-0010

Innovative Single Stage

MAXair PREMIUM

FEATURES

- Rugged compressor with cast iron cylinders.
- "V" style design minimizes vibration, improves cooling, and extends compressor life.
- 2 year limited Warranty
- Individual and removable cylinders for smoother cooler operation and easy maintenance.
- Heavy duty pressure switch with On/Off control.
- Thermally protected 208/230 volt single phase electric motor.
- 60 gallon ASME registered tank with 170psi rating.
- Premium air filters with "Auto Drop" replacement feature.
- Liquid filled pressure gauge.
- Convenient extended oil drain, and conveniently located ball valve drain on front of tank for draining moisture from tank.
- Easy view oil sight gauge.
- High efficiency reed valves for maximum performance.
- Efficient heat removal from fly wheel for cooler running and longer life.
- Sturdy metal belt guard.
- Heavy duty 1/2" ball valve included.
- CSA approved.

C5160V1-MAP



170
PSI
MAX RATED



Manufactured by:



COMPARE THE AIR. . .

MODEL	HP	CFM@ 100 PSI	MAXIMUM RATED PSI	RECEIVER CAPACITY	MOTOR VOLTAGE	DIMENSIONS L-W-H (ins)	WEIGHT (lbs)
C5160V1-MAP	5.0	18.5	170	60 GAL	208/230	30-20-66	280

Wood Industries, Inc. PO Box 720 Belmont, MS 38827 Phone: (662) 454-0005 Fax: (662) 454-0010

Innovative Single Stage

MAXair PREMIUM

FEATURES

- Rugged compressor with cast iron cylinders.
- "V" style design minimizes vibration, improves cooling, and extends compressor life.
- 2 year limited Warranty
- Individual and removable cylinders for smoother cooler operation and easy maintenance.
- Heavy duty pressure switch with On/Off control.
- Thermally 208/230 volt single phase electric motor.
- 80 gallon ASME registered tank with 200psi rating.
- Premium air filters with "Auto Drop" replacement feature.
- Liquid filled pressure gauge.
- Convenient extended oil drain, and conveniently located ball valve drain on front of tank for draining moisture from tank.
- Easy view oil sight gauge.
- High efficiency reed valves for maximum performance.
- Efficient heat removal from fly wheel for cooler running and longer life.
- Sturdy metal belt guard.
- Heavy duty 1/2" ball valve included.
- CSA approved.

C5180V1-MAP



170
PSI
MAX RATED



Manufactured by:



COMPARE THE AIR. . .

MODEL	HP	CFM@ 100 PSI	MAXIMUM RATED PSI	RECEIVER CAPACITY	MOTOR VOLTAGE	DIMENSIONS L-W-H (ins)	WEIGHT (lbs)
C5180V1-MAP	5	18.5	170	80 Gal	208/230	28-24-64	330

Wood Industries, Inc. PO Box 720 Belmont, MS 38827 Phone: (662) 454-0005 Fax: (662) 454-0010

Innovative Single Stage

MAXair PREMIUM

FEATURES

- Rugged compressor with cast iron cylinders.
- "V" style design minimizes vibration, improves cooling, and extends compressor life.
- 2 year limited Warranty
- Individual and removable cylinders for smoother cooler operation and easy maintenance.
- Heavy duty pressure switch with On/Off control.
- Magnetic Starter included.
- Industrial 184 Frame, 1750 RPM, Thermally protected, 7.5hp, 208/230/460/575 volt electric motor, single phase or three phase.
- 80 gallon ASME registered tank with 200psi rating.
- Premium air filters with "Auto Drop" replacement feature.
- Liquid filled pressure gauge.
- Convenient extended oil drain, and conveniently located ball valve drain on front of tank for draining moisture from tank.
- Easy view oil sight gauge.
- High efficiency reed valves for maximum performance.
- Efficient heat removal from fly wheel for cooler running and longer life.
- Sturdy metal belt guard.
- Heavy duty 3/4" ball valve included.
- CSA approved.

C7180V1-MAP



170
PSI
MAX RATED



Manufactured by:



COMPARE THE AIR. . .

NOTE: MS=MAGNETIC STARTER AND CS=COMBINATION STARTER/PRESSURE SWITCH

MODEL	HP	CFM@ 100 PSI	MAXIMUM RATED PSI	RECEIVER CAPACITY	MOTOR VOLTAGE	DIMENSIONS L-W-H (ins)	WEIGHT (lbs)
C7180V1-MS-MAP	7.5	30.0	170	80 Gal	1 Phase 208/230V	35-24-68	490
C7180V1-CS2-MAP	7.5	30.0	170	80 Gal	3 Phase 208/230V	35-24-68	490
C7180V1-CS4-MAP	7.5	30.0	170	80 Gal	3 Phase 460V	35-24-68	490
C7180V1-CS-MAP	7.5	30.0	170	80 Gal	3 Phase 575V	35-24-68	490

Wood Industries, Inc. PO Box 720 Belmont, MS 38827 Phone: (662) 454-0005 Fax: (662) 454-0010

Innovative Single Stage